L Number	Hits	Search Text	DB	Time stamp
•	0	(automat\$4 NEAR5 configur\$5 NEAR9 (client or device or computer or	USPAT;	2004/10/05 14:59
		node or terminal or station)) and ((configuration NEAR9	US-PGPUB	
		(compatibi\$5 or match\$5 or useable or standard or capable)) and ((client or device or computer or node or terminal or station)		
		NEAR9 (request\$5 or get\$4 or reload\$4 or ask\$4 or call\$4 or apply\$4 or		
		demand\$4 or invok\$4 or order\$4 or solicit\$4 or seek\$4 or search\$4 or		
		need\$4 or requir\$4 or command\$4 or extract\$4 or obtain\$4 or acquir\$4		
		or select\$4 or copy\$4 or creat\$4 or query\$4 or fetch\$4 or gather\$4 or		
		pick\$4 or recover\$4) NEAR5 configuration) and @ad<20030903		
	32	(automat\$4 NEAR5 configur\$5 NEAR9 (client or device or computer or	USPAT;	2004/10/05 15:10
	-	node or terminal or station)) and ((configuration NEAR9	US-PGPUB	
		(compatibi\$5 or match\$5 or useable or standard or capable)) and		
		((client) NEAR9 (request\$5 or get\$4 or reload\$4 or ask\$4 or		
		call\$4 or apply\$4 or demand\$4 or invok\$4 or order\$4 or solicit\$4 or		
		seek\$4 or search\$4 or need\$4 or requir\$4 or command\$4 or extract\$4		
		or obtain\$4 or acquir\$4 or select\$4 or copy\$4 or creat\$4 or query\$4 or		
		fetch\$4 or gather\$4 or pick\$4 or recover\$4) NEAR5 configuration)) and		
		@ad<20030903		
-	21	(automat\$4 NEAR5 configur\$5 NEAR9 (client or device or computer or	USPAT;	2004/10/05 15:20
		node or terminal or station)) and ((configuration NEAR9	US-PGPUB	
		(compatibi\$5 or match\$5 or useable or standard or capable)) and ((client) NEAR9 (request\$5 or get\$4 or reload\$4 or ask\$4 or		
		call\$4 or apply\$4 or demand\$4 or invok\$4 or order\$4 or solicit\$4 or		
		seek\$4 or search\$4 or need\$4 or requir\$4 or command\$4 or extract\$4		
		or obtain\$4 or acquir\$4 or select\$4 or copy\$4 or creat\$4 or query\$4 or		
		fetch\$4 or gather\$4 or pick\$4 or recover\$4) NEAR5 configuration)) and		
		@ad<20030903 and ((time or period) NEAR9 configuration)		
-	0	(automat\$4 NEAR5 configur\$5 NEAR9 (client or device or computer or	USPAT;	2004/10/05 16:10
		node or terminal or station)) and ((configuration NEAR9 "not"	US-PGPUB	
		NEAR5 (compatib\$5 or match\$5 or useable or standard or capable or		
		default or compliant or acceptable or satisfactory or good or eligib\$8 or		
		fit\$4 or suitable or sufficient or comply)) and ((client		
		or device or computer or node or terminal or station) NEAR9 (request\$5		
		or get\$4 or reload\$4 or ask\$4 or call\$4 or apply\$4 or demand\$4 or		
		invok\$4 or order\$4 or solicit\$4 or seek\$4 or search\$4 or need\$4 or		
		requir\$4 or command\$4 or extract\$4 or obtain\$4 or acquir\$4 or select\$4		
		or copy\$4 or creat\$4 or query\$4 or fetch\$4 or gather\$4 or pick\$4 or recover\$4) NEAR5 configuration)) and @ad<20030903 and ((time or		
1		period) NEAR9 configuration NEAR5 (request or sent or download\$4		
		or transmit\$4 or provid\$4 or suppl\$4))		
	0	(automat\$4 NEAR5 configur\$5 NEAR9 (client or device or computer or	USPAT;	2004/10/05 16:12
-		node or terminal or station)) and ((configuration NEAR9 "not"	US-PGPUB	
		NEAR5 (compatib\$5 or match\$5 or useable or standard or capable or		
		default or compliant or acceptable or satisfactory or good or eligib\$8 or		
		fit\$4 or suitable or sufficient or comply)) and ((client		
		or device or computer or node or terminal or station) NEAR9 (request\$5		
		or get\$4 or reload\$4 or ask\$4 or call\$4 or apply\$4 or demand\$4 or		
	Ì	invok\$4 or order\$4 or solicit\$4 or seek\$4 or search\$4 or need\$4 or		
		requir\$4 or command\$4 or extract\$4 or obtain\$4 or acquir\$4 or select\$4		
		or copy\$4 or creat\$4 or query\$4 or fetch\$4 or gather\$4 or pick\$4 or		
		recover\$4) NEAR5 configuration)) and @ad<20030903 and ((time or		
		period or when or point or instance) NEAR9 configuration NEAR5 (request\$3 or sent or download\$4 or transmit\$4 or provid\$4 or suppl\$4))		
-	0	(automat\$4 NEAR5 configur\$5 NEAR9 (client or device or computer or	USPAT;	2004/10/05 16:17
	J	node or terminal or station)) and ((configuration NEAR9 "not"	US-PGPUB	2007/10/05 10:17
		NEAR9 (compatibi\$5 or match\$5 or useable or standard or capable))	001000	
		and ((client or device or computer or node or terminal		
		or station) NEAR9 (request\$5 or get\$4 or reload\$4 or ask\$4 or call\$4 or		
		apply\$4 or demand\$4 or invok\$4 or order\$4 or solicit\$4 or seek\$4 or		
		search\$4 or need\$4 or requir\$4 or command\$4 or extract\$4 or obtain\$4		
	,	or acquir\$4 or select\$4 or copy\$4 or creat\$4 or query\$4 or fetch\$4 or		
		gather\$4 or pick\$4 or recover\$4) NEAR5 configuration)) and		
		@ad<20030903		

-	0	(automat\$4 NEAR5 configur\$5 NEAR9 (client or device or computer or node or terminal or station)) and ((configuration NEAR9 "not" NEAR9 (compatib\$5 or match\$5 or useable or standard or capable))	USPAT; US-PGPUB	2004/10/05 16:19
		and ((client or device or computer or node or terminal or station) NEAR9 (request\$5 or get\$4 or reload\$4 or ask\$4 or call\$4 or apply\$4 or demand\$4 or invok\$4 or order\$4 or solicit\$4 or seek\$4 or		·
		search\$4 or need\$4 or requir\$4 or command\$4 or extract\$4 or obtain\$4		
		or acquir\$4 or select\$4 or copy\$4 or creat\$4 or query\$4 or fetch\$4 or		
		gather\$4 or pick\$4 or recover\$4) NEAR5 configuration)) and @ad<20030903		
-	0	((automat\$4 NEAR5 configur\$5 NEAR9 (client or device or computer	USPAT;	2004/10/05 16:29
		or node or terminal or station)) and ((configuration NEAR9 (compatib\$5 or match\$5 or useable or standard or capable or default or	US-PGPUB	
		compli\$5 or acceptable or satisfactory or good or eligib\$8 or fit\$4 or		
		suitable or sufficient or comply)) and ((client or device		
		or computer or node or terminal or station) NEAR9 (request\$5 or get\$4 or reload\$4 or ask\$4 or call\$4 or apply\$4 or demand\$4 or invok\$4 or		
		order\$4 or solicit\$4 or seek\$4 or search\$4 or need\$4 or requir\$4 or		
		command\$4 or extract\$4 or obtain\$4 or acquir\$4 or select\$4 or copy\$4		
		or creat\$4 or query\$4 or fetch\$4 or gather\$4 or pick\$4 or recover\$4) NEAR5 configuration)) and @ad<20030903 and ((time or period))		
		NEAR9 configuration NEAR5 (request or sent or download\$4 or		
		transmit\$4 or provid\$4 or suppl\$4))) and (client or device or computer or		:
		node or terminal or station) NEAR5 (load NEAR5 (default or standard) NEAR5 configuration)		
-	2	((automat\$4 NEAR5 configur\$5 NEAR9 (client or device or computer	USPAT;	2004/10/05 17:07
		or node or terminal or station)) and ((configuration NEAR9	US-PGPUB	
		(compatib\$5 or match\$5 or useable or standard or capable or default or compli\$5 or acceptable or satisfactory or good or eligib\$8 or fit\$4 or		
		suitable or sufficient or comply)) and ((client or device		
		or computer or node or terminal or station) NEAR9 (request\$5 or get\$4		
		or reload\$4 or ask\$4 or call\$4 or apply\$4 or demand\$4 or invok\$4 or order\$4 or solicit\$4 or seek\$4 or search\$4 or need\$4 or requir\$4 or		
		command\$4 or extract\$4 or obtain\$4 or acquir\$4 or select\$4 or copy\$4		
		or creat\$4 or query\$4 or fetch\$4 or gather\$4 or pick\$4 or recover\$4)		
		NEAR5 configuration)) and @ad<20030903 and ((time or period) NEAR9 configuration NEAR5 (request or sent or download\$4 or		
		transmit\$4 or provid\$4 or suppl\$4))) and (client or device or computer or		
		node or terminal or station) NEAR5 ((load or install or set\$4 or using or		
		use) NEAR5 (default or standard or basic or regular) NEAR5 configuration)		
-	26		USPAT;	2004/10/06 08:22
		session) NEAR5 (time or length or period) and @ad<20030903	US-PGPUB	
-	26	server NEAR5 monitor NEAR9 (connection or access or login or session) NEAR5 (time or length or period) and @ad<20030903	USPAT; US-PGPUB	2004/10/06 08:23
-	0	server NEAR5 monitor NEAR9 (connection or access or login or	USPAT;	2004/10/06 08:24
		session) NEAR5 (time or length or period) and @ad<20030903 and	US-PGPUB	
_	103	(auto\$9 NEAR5 config\$8 NEAR9 client) (monitor\$4 or record\$4 or track\$4 or report\$4 or watch\$4 or keep\$4 or	USPAT;	2004/10/06 08:29
	103	check\$4 or display\$4 or inform\$ or limit\$4 or control\$4 or manag\$5 or	US-PGPUB	2004/10/00 00:29
		observ\$4 or trac\$4) NEAR9 (connection or access or login or session)		
		NEAR5 (time or length or period) and @ad<20030903 and (auto\$9 NEAR5 config\$8 NEAR9 client)		
•	26	(monitor\$4 or record\$4 or track\$4 or report\$4 or watch\$4 or keep\$4 or	USPAT;	2004/10/06 09:43
		check\$4 or display\$4 or inform\$ or limit\$4 or control\$4 or manag\$5 or	US-PGPUB	
		observ\$4 or trac\$4) NEAR9 (connection or access or login or session) NEAR5 (time or length or period) and @ad<20030903 and (auto\$9)		
		NEAR5 (title of length of period) and (aad-20030903 and (add039) NEAR5 config\$8 NEAR9 client) and ((confirm\$5 or indicat\$5 or		
		signal\$5 or inform\$5 or advic\$5 or tell\$4 or say\$5 or notif\$8) NEAR9		
		configuration NEAR9 server) and ((default or standard or bas\$5 or regular or ordinary or initial) NEAR5 configuration)		
	l	regular of ordinary of minute) INDANO COMINGUIDITY		l

/06 09:58
/06 10:00
700 10.00
VOC 10.05
/06 10:05
/06 10:05
/06 10:11
/06 10:14
,00 10.1.
/07 17:35